

Sun 310-081

Sun Certified Web Component Developer for J2EE 1.4

Version:Demo

ExamClear™
Help you pass IT exams.

Only **\$30**, you can get a Full version Testing Engine
on
www.examclear.com

More than 98% real question coverage.
Latest version.
Very cheap! Only **\$30**.
Full Refund guarantee.

Powered by: www.examclear.com

1. Which two pieces of information are needed when declaring the web resource collection in the deployment descriptor? (Choose two.)

- A . the URL pattern that requires authorization
- B . the HTTP methods that require authorization
- C . the users allowed access to the web resource
- D . the J2EE roles allowed access to the web resource
- E . the authentication mechanism required by the web resource

Answer: A B

2. Which basic authentication type is optional for a J2EE 1.4 compliant web container?

- A . HTTP Basic Authentication
- B . Form Based Authentication
- C . HTTP Digest Authentication
- D . HTTPS Client Authentication

Answer: C

3. Which security mechanism can be directed through the element in a web application deployment descriptor?

- A . authorization
- B . data integrity
- C . confidentiality
- D . authentication

Answer: D

4. Which security mechanism uses the concept of a realm?

- A . authorization
- B . data integrity
- C . confidentiality
- D . authentication

Answer: D

5. When using form-based authentication, which action must be used in the login form?

- A . j_login
- B . j_get_user
- C . j_login_check
- D . j_get_security
- E . j_security_check

Answer: E

6. When adding a element to a web application deployment descriptor, the inclusion of which sub-element requires the definition of an error page?

- A .
- B .
- C .
- D .
- E .

Answer: D

7. Upon a user's first visit to the web site, which two operations are always performed when the

getSession method is called with no arguments in a servlet? (Choose two.)

- A . All URLs returned by the server are rewritten.
- B . An HttpSession object is created if necessary.
- C . The user name and password of the user are checked.
- D . The session ID is stored in the HTTP response as a cookie.

Answer: B D

8. Which three interfaces need to be declared in the web application deployment descriptor? (Choose three.)

- A . HttpSessionListener
- B . HttpSessionBindingListener
- C . HttpSessionTimedOutListener
- D . HttpSessionAttributeLisenter
- E . HttpSessionActivationListener
- E . HttpSessionPassivatedListener

Answer: A D E

9. Which two classes or interfaces provide a getSession method? (Choose two.)

- A . javax.servlet.http.HttpServletRequest
- B . javax.servlet.http.HttpSessionContext
- C . javax.servlet.http.HttpServletResponse
- D . javax.servlet.http.HttpSessionBindingEvent
- E . javax.servlet.http.HttpSessionAttributeEvent

Answer: A D

Powered by: www.examclear.com